

FOLIAGE PEST REPORT

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	Total Rating	Trees	Avg Rating	Action Level	Check for Warning	Check to Treat	
Tree*																											
Yellow Aphids																											
Black Aphids																											
Mites																											
Beneficials																											
Leaf Scab																											
Nut Scab																											
Other Disease ()																											
Fall Webworm																											
Walnut Caterpillar																											
LT+D ()																											
LT+D ()																											
Scale or Phylloxera ()																											

ACTION LEVELS:

NOTES:

Yellow Aphids	50%+
Black Aphids	2.0
Mites	2.0
Fall Webworm	1 colony / tree
Walnut Caterpillar	10 colonies/acre
Sawfly	.5
Cigar Leaf Casebearer	1.0
Pecan Leaf Casebearer	1.0
Catacola	.2
May Beetles	.5
Leafminers	1.0
Spittle Bugs	.1

Grower	_____
County	_____
Orchard	_____
Block	_____
Variety	_____
Scout	_____
Date	_____

NUT CASEBEARER AND STINKBUG RECORD

TREE #	# Clusters	Number of Eggs					# Nuts Entered	# Clusters Infested	% Egg Lay	# S. B.	# Cluster per S. B.
		White	Pink	Rose	Red	Hatched					
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
TOTALS											

Notes:

Grower _____
 County _____
 Orchard _____
 Block # _____
 Variety _____
 Scout _____
 Date _____

NOTES:

Grower _____
 County _____
 Orchard _____
 Block _____
 Variety _____
 Scout _____
 Date _____

PECAN WEEVIL AND NUT DEVELOPMENT RECORD

ADULT WEEVILS SHOOK FROM TREES OR EMERGED INTO CONE TRAPS

TREE #	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
RAINFALL							

Tree #	Water Stage					Shell Hardening					Gel Stage					Dough Stage					
	Start	1/4*	1/2	3/4	Full	Start	1/4	1/2*	3/4	Full	Start	1/4*	1/2	3/4	Full	Start*	1/4	1/2	3/4	Full	

ACTION LEVELS:

PECAN WEEVILS:
 Spray if adult weevils are found in the orchard once the earliest nuts reach the start of the dough stage, which is usually 2-3 days past 1/4-1/2 gel stage or approximately 2 weeks after 1/2 shell hardening.

HICKORY SHUCKWORM:
 Spray when nuts reach 1/2 shell hardening which is approximately 3 weeks after the start of the water stage.

STEM END BLIGHT:
 Spray at 1/4 water stage.

