

From: *Improved Systems of Management for Arthropod Pests*

New Southern Regional Project Application 1982 (pp. 36- 55)

Attachment IV. Bibliography:

- Alverson, P. R. 1981. Distribution records and adult emergence patterns of the pecan weevil, *Curculio caryae* (Horn) in South Carolina. Proc. S. E. Pecan Growers Assoc. 74:59-66.
- Anderson, A. L., H. W. Van Cleave, and T. L. Payne. 1973. An investigation of a sex pheromone of the hickory shuckworm *Laspeyresia caryana* (Fitch). Folia. Entomol. Mex. 25-6.
- Anonymous. 1975. Temperate tree fruits. Annual Rpt. Inst. Food Agr. Sci., Univ. Fla. Gainesville, 377 pp.
- Barnes, G. L., D. G. Boethel, R. D. Eikenbary, J. T. Criswell, and C. R. Gentry. 1975. Growth and sporulation of *Metarrhizium anisopliae* and *Beauveria bassiana* on media containing various peptone sources. J. Invertebr. Pathol. 25:301-5.
- Barry, R. M. and J. A. Payne. 1975. "Minor" insects of pecans. J. Northern Nut Growers Assoc.
- Ben-Zeev, I. and A. Uziel. 1979. *Monellia costalis* (Fitch). A new host for *Zoophthora radicans* (Brefeld) Batko and *Entomophthora planchoniana* Cornu (Zygomycetes: Entomophthoraceae) in Israel. Phytoparasitica. 7:158-67.
- Bieberdorf, G. A. 1948. Life cycle studies on the pecan nut casebearer, *Acrobasis caryae* Grote. Proc. Okla. Acad. Sci. 1948:32-35.
- Bieberdorf, G. A. and F. A. Fenton. 1948. Preliminary tests with two dinitro compounds in dormant sprays for pecan nut casebearer control. Proc. Okla. Pecan Growers Assoc. 6-18.
- Bilsing, S. W. 1925a. Life history of pecan nut casebearer *Acrobasis caryivorella* Zell. J. Econ. Entomol. 18:202-6.
- Bilsing, S. W. 1925b. Life history of pecan nut casebearer *Acrobasis caryivorella* Zell. Proc. Nat. Pecan Assoc. 24:62-65.
- Bilsing, S. W. 1926. The life history and control of the pecan nut casebearer. Tex. Agr. Expt. Sta. Bull. 328. 77pp.
- Bilsing, S. W. 1927. Studies on the biology of the pecan nut casebearer. Ibid. 347. 71 pp.

- Bilising, S. W. 1931. The pecan nut casebearer. Proc. Nat. Pecan Growers Assoc. 30: 51-57.
- Boethel, D. J. 1978. Dosage-mortality data on the pecan leaf scorch mite. J. Econ. Entomol. 71:854-5.
- Boethel, D. J., and R. D. Eikenbary. 1979a. Current status of pest management programs for the pecan weevil, p. 99-102. *In* Pest Management for Deciduous Tree Fruits and Nuts, D. J. Boethel and R. D. Eikenbary, (eds.), Plenum Publ., N. Y.
- Boethel, D. J. and R. D. Eikenbary. 1979b. Pecan weevil: seasonal emergence of larvae from three cultivars. J. Georgia. Entomol. Soc. 14:75-83.
- Boethel, D. J. and J. E. Ezell. 1977. Pecan Phylloxera: pictorial life history. Pecan South. 4: 52-9.
- Boethel, D. J. and J. E. Ezell. 1978. Influence of spray programs on seasonal abundance of pecan leaf scorch mite and phytosiids in Louisiana. J. Econ. Entomol. 71:507-17.
- Boethel, D. J., J. T. Criswell, and R. D. Eikenbary. 1974. Incidence of hickory shuckworm in galls of *Phylloxera* spp. on pecans. J. Econ. Entomol. 67(5):692-3.
- Boethel, D.J., R.D. Eikenbary, J. R. Bolte, C. R. Gentry. 1974. Sampling pecan weevil nut infestations: Effect of tree height and sector. Environ. Entomol. 3:208-2.10.
- Boethel, D. J., R. D. Eikenbary, R. D. Morrison, and J. T. Criswell. 1976a. Pecan weevil, *Curculio caryae*, (Coleoptera: Curculionidae): 1. Comparison of adult sampling techniques. Can. Entomol. 108:11-18.
- Boethel, D. J., J. E. Ezell and R. R. Shelton. 1979. Pecan nut casebearer: damage assessment, seasonal emergence of spring brood moths and potential of blacklight traps in a pest management program. Environ. Entomol. 8:65-69.
- Boethel, D. J., W. G. Grovenburg, R. D. Eikenbary and R. W. McNew. 1976a. Infestation levels of pecan leaf phylloxera, *Phylloxera notabilis* Pergande, on pecan cultivars. Environ. Entomol. 5:657-9.
- Boethel, D. J., J. M. McBride, J. L. Bagent, and W. A. Meadows. 1978. Distribution of the pecan weevil - Louisiana. Louisiana Agr. Res.
- Boethel, D. J. and H. W. Van Cleave. 1972. Dosage-mortality studies on laboratory-reared and field-collected larvae of the hickory shuckworm. J. Econ. Entomol. 65:232-5.

- Calcote, V. R. 1975. Pecan weevil: feeding and initial oviposition as related to nut development. *J. Econ. Entomol.* 68:4-6.
- Calcote, V. R. and D. E. Hyder. 1978. Casebearer insecticide test. *Pecan Quart.* 12(2):23.
- Calcote, V. R., and D. E. Hyder. 1980. Late season emergence of shuckworm from overwintering shucks. *Proc. S. E. Pecan Growers Assoc.* 73:75-7.
- Calcote, V. R. and D. E. Hyder. 1981. Pecan weevil preference for various pecan cultivars. *J. Econ. Entomol.* 74:223-6.
- Calcote, V. R. and J. S. Smith, Jr. 1974. Attraction of five pecan insect species to light traps equipped with various colored lamps. *J. Econ. Entomol.* 67:461-3.
- Calcote, V. R. and H. W. Tisdale. 1976. How to control yellow aphids. *Pecan Quart.* 10:9-10.
- Calcote, V. R., C. R. Gentry and G. W. Edwards. 1972a. Comparison of two types of light traps in capturing moths of the pecan nut casebearer. *J. Econ. Entomol.* 65:933-4.
- Calcote, V. R., C. R. Gentry and G. W. Edwards. 1972b. Nightly activity and mating behavior of pecan nut casebearer captured in traps. *J. Econ. Entomol.* 65:909-11.
- Calcote, V. R., G. D. Madden, and H. D. Peterson. 1976. Pecan cultivars resistant to hickory shuckworm. *Ann. Rep. Northern Nut Growers Assoc.* 67:19-21.
- Calcote, V. R., G. D. Madden, and H. D. Peterson. 1977. Pecan cultivars tested for resistance to hickory shuckworm. *Pecan Quarterly* 11:4-5.
- Campbell, R. K., T. M. Perring, G. L. Barnes, R. D. Eikenbary, and C. L. Gentry. 1978. Growth and sporulation of *Beauveria bassiana* and *Metarrhizium anisopliae* on media containing various amino acids. *J. Invertebr. Pathol.* 31:289-295.
- Carpenter, T. L., W. W. Neel, and R. E. Coats. 1979. Comparison of control ratings for aerial and speed spray application of insecticides against yellow aphids on pecans. *Southwestern Entomologist* 4:244-8.
- Carpenter, T. L., W. W. Neel, and P. A. Hedin. 1979a. Black margined aphid and leaf juglone content. *Pecan Quart.* 13:35-7.
- Carpenter, T. L., W. W. Neel, and P. A. Hedin. 1979b. A review of host plant resistance of pecan *Carya illinoensis*, to Insecta and Acarina. *Bull. Entomol. Soc. Amer.* 25:251-257.

- Champlin, F. R., P. Y. K. Cheung, Sue Pekar, Rebecca J. Smith, R. L. Barton, and E. A. Grula. 1981. Virulence of *Beauveria bassiana* mutants for the pecan weevil. J. Econ. Entomol. 74:617-621.
- Chau, K. M. 1949. Study of feeding habits and investigating soil fumigation as a means of control for pecan weevil. M. S. thesis. Oklahoma State Univ. 67pp.
- Cochran, J. H. 1950. Control of the pecan nut casebearer with organic insecticides. Proc. S. E. Pecan Growers Assoc. 44:72-73.
- Cole, C. L. and J. Johnson. 1975. Aerial pest control has advantages. Pecan Quart. 9:14-15.
- Cooper, J. N. 1979. Development of thresholds in the Texas integrated pecan pest management program. Proc. 58th Ann. Conf. of the Texas Pecan Growers Assoc.
- Coppock, Stanley. 1975. Casebearer control by aerial application. Pecan South. 2:72-73.
- Criswell, J. T., D. T. Boethel, R. D. Morrison, and R. D. Eikenbary. 1975. Longevity, puncturing of nuts, and oviposition activities by the pecan weevil on three cultivars of pecans. J. Econ. Entomol. 68:173-177.
- Dodge, H. R. 1956. A new sarcophagid genus, with description of 15 new species (Diptera: Sarcophagidae). Ann. Entomol. Soc. Amer. 49:252-263.
- Dupree, M. and T. L. Bissell, 1965. Observations on the periodic emergence of the pecan weevil. Proc. S. E. Pecan Growers Assoc. 58:50-1.
- Dutcher, J. D. and J. A. Payne. 1979. Bionomics and control of pecan leafminers. Proc. S. E. Pecan Growers Assoc. 72: 143-146.
- Dutcher, J. D. and J. A. Payne. 1981. Pecan weevil bionomics: a regional research problem. Misc. Publ. Entomol. Soc. Am. 12(2):45-68.
- Dutcher, J. D. and D. C. Sheppard. 1981 . Predation of pecan weevil larvae by red imported fire ants. J. Georgia. Entomol. Soc. 15:210-3.
- Dutcher, J. D. and J. W. Todd. 1982. Hemipteran kernel damage of pecan. Misc. Publ. Entomol. Soc. Amer. (in review).
- Dutcher, J. D., R. E. Worley, and R. H. Littrell. 1980. Trunk injection of dicrotophos and trunk implantation of acephate to control foliar pecan pests. J. Arboriculture 6:294-297.

- Edelson, J. V., and P. M. Estes. 1981. Seasonal abundance of pecan aphids, their parasites and predators in Alabama. *Proceedings S. E. Pecan Growers Assoc.* 74:107-112.
- Eikenbary, R. D., and H. G. Raney. 1973. Intratree dispersal of the pecan weevil. *Environ. Entomol.* 2:927-930.
- Eikenbary, R. D., W. G. Grovenburg, G. H. Hedger, and L. D. Morrison. 1977. Modification and further evaluation of an equation for predicting populations of *Curculio caryae* (Coleoptera: Curculionidae). *Can. Entomol.* 109:1159-1166.
- Eikenbary, R. D., R. D. Morrison, G. H. Hedger, and D. B. Grovenburg. 1978. Development and validation of prediction equations for estimation and control of pecan weevil populations. *Environ. Entomol.* 7:113-120.
- Ellis, H. C. 1978. Insect control decisions. *Proc. S. E. Pecan Growers Assoc.* 71:129-32.
- Ellis, H. C. and P. Bertrand. 1979. Scouting pecans. *Proc. S. E. Pecan Growers Assoc.* 72:139-42.
- Ellis, H. C. and S. G. Polles. 1976. Aerial application for control of certain pecan insects. *Proc. S. E. Pecan Growers Assoc.* 69:119-21.
- Fenton, F. A. 1950. Pecan insect control investigations by the entomology department. *Proc. Okla. Pecan Growers Assoc.* 23-26.
- Ferguson, W. L. and J. A. Payne. 1981. Lindane compared with other chemicals for pecan phylloxera control. *Pecan South* 8(1):12-19.
- Flechtmann, C. H. W. and R. Davis. 1971. Some Acarina from Georgia pecans with notes on their biology. *J. Georgia. Entomol. Soc.* 6:33-44.
- Fuchs, T. W., H. W. Van Cleave, and S. B. Vinson. 1974. Susceptibility of a pecan pest, the hickory shuckworm, to selected juvenile hormone analogues. *Tex. Ag. Exp. Sta. Misc. Pub.* 1154. 11pp.
- Gentry, C. R., J. L. Blythe, and E. J. Wehunt. 1974. Control of aphids and certain other pecan pests with soil treatments of disulfoton. *J. Econ. Entomol.* 67:419-20.
- Gentry, C. R., L. B. Bowden, J. A. Payne and W. L. Tedders. 1973. A bibliography of the pecan weevil, *Curculio caryae* (Coleoptera: Curculionidae). *Bull. Entomol. Soc. Amer.* 19:203-7.
- Gentry, C. R., J. D. Dutcher, R. H. Littrell, and R. E. Worley. 1982. Low pressure trunk injection of dicrotophos and solubilized benomyl for pest control on mature pecan trees. *J. Econ. Entomol.* 75:611-15.

- Gentry, C. R., H. L. Malstrom and J. L. Blythe. 1975. Georgia tests show aphid preferences. *Pecan Quart.* 9:20-1.
- Gentry, C. R., R. A. Simonaitis, S. G. Polles, and J. M. Zehner. 1976a. Control of pecan aphids on mature pecan trees with aldicarb. *J. Econ. Entomol.* 69:523-6.
- Gentry, C. R., J. S. Smith, R. E. Hunter, J. A. Payne, and J. M. Wells. 1977. The second year of an integrated program for pest management on pecans. *Proc. S. E. Pecan Growers Assoc.* 70:155-163.
- Gentry, C.R., J. S. Smith, J. A. Payne, E. J. Wehunt, J. M. Wells, and N. E. McGlohon. 1976b. The first year of an integrated program for pest management on pecans. *Proc. S. E. Pecan Growers Assoc.* 69:125-132.
- Gibson, L. P. 1969. Monograph on the genus *Curculio* in the New World (Coleoptera: Curculionidae) Part I. United States and Canada. *Misc. Publ. Entomol. Soc. Amer.* 6:240-285.
- Gill, J. B. 1917. Important pecan insects and their control. *USDA Farmers Bull.* 843. 40 pp.
- Gill, J. B. 1924. Important pecan insects and their control. *USDA Farmers Bull.* 843. 48 pp.
- Hall, M. H., R. D. Eikenbary and W. D. Ward. 1979. Effects of pecan nut cluster size on the selection of nuts for feeding and oviposition by the pecan weevil, *Curculio caryae* (Coleoptera: Curculionidae). *Can. Entomol.* 111:1193-1196.
- Hall, M. H., G. H. Hodges, R. D. Eikenbary and R. W. McNew. 1981. Impact of pecan weevil on pecan production in a pest management commercial orchard. *Environ. Entomol.* 10:668-672.
- Hansen, C. D., H. W. Van Cleave, and J. J. Welch. 1970. Comparison of hickory shuckworm infestation rates of seven named varieties in central Texas. p. 42-3. *In Pecan Research 1965-1969. Tex. Agric. Exp. Sta. Prog. Rep.* 2718.
- Harp, S. J. and H. W. Van Cleave. 1976. Biology of the pecan weevil. *The Southwestern Entomologist.* 7:21-39.
- Harris, M. K. 1973. Pecan weevil larval response to some temperatures while in the nut. *Progress Report No. 3176. Texas Agr. Exp. Sta.*
- Harris, M. K. 1975. Pecan weevil distribution in some Texas soil. *Environ. Entomol.* 4:849-853.

- Harris, M. K. 1976. Pecan weevil adult emergence, onset of oviposition and larval emergence from the nut as affected by the phenology of the pecan. *J. Econ. Entomol.* 69:167-170.
- Harris, M. K. 1977. A note on pecan nut casebearer rearing attempts. *Proc. Western Pecan Conf.* 11:49-51.
- Harris, M. K. 1978. Pecan insect quarantine expanded. *Pecan Quart.* 12:20.
- Harris, M. K. 1979. Pecan weevil distribution on pecan across the pecan belt. *Southern Cooperative Series, Bull. No. 238.* 11pp.
- Harris, M. K. and L. Aguirre. 1978. Pecan, pecan weevil and hickory shuckworm management, 1977. *Insecticide and Acaracide Tests.* 3:59-60.
- Harris, M. K. and D. R. Ring. 1979. Biology of the pecan weevil from oviposition to larval emergence. *Southwestern Entomologist.* 4:73-85.
- Harris, M. K. and D. R. Ring. 1980. Adult pecan weevil emergence related to soil moisture. *J. Econ. Entomol.* 73:339-43.
- Harris, M. K. and H. W. Van Cleave. 1974. Economic losses attributable to some pecan insects in Texas. *Proc. Western Pecan Conf.* 8:57-62.
- Harris, M. K., D. R. Ring, B. L. Cutler, C. W. Neeb, and J. A. Jackman. 1980. Pecan weevil management in Texas. *Pecan Quarterly* 14(2):3-14.
- Hedger, G. H., R. D. Eikenbary, and R. D. Morrison. 1978. Computer prediction and control of the pecan weevil. *Pecan South* 5:198-208.
- Hedin, P. A., J. A. Payne, T. L. Carpenter, and W. Neel. 1979. Sex pheromone of the male and female pecan weevil, *Curculio caryae*: behavioral and chemical studies. *Environ. Entomol.* 8:521-523.
- Hill, S.O. 1940. Pecan foliage as food for the pecan nut casebearer. *Florida. Entomol.* 23:27-29.
- Hinrichs, H. A. 1951. Pecan weevil control. *Proc. Okla. Pecan Growers Assoc.* 22:22-30.
- Hinrichs, H. and G. A. Bieberdorf. 1945. Progress report on controlling the pecan nut casebearer and scab in Oklahoma. *Proc. Okla. Pecan Growers Assoc.* 60-66.
- Hoelscher, C. E., L. R. Green, H. W. Van Cleave, and M. K. Harris. 1975. Pecan weevil: where it exists in Texas. *Pecan Quart.* 9:24-5.

- Horn, G. H. 1873. Contribution to a knowledge of the Curculionidae of the United States. Proc. Amer. Phil. Soc. 13:457-461.
- Howell, G. S., Jr. and F. G. Maxwell. 1969. Attractant and feeding responses of hickory shuckworm larvae to certain extracts of pecan shucks. Ann. Entomol. Soc. Amer. 62(1):240-2.
- Jackman, J. A. 1979. Simulation of adult pecan weevil survival. Presented at Nat'l. Mtg. Entomol. Soc. Amer., Denver, CO.
- Jackson, P. R., and P. E. Hunter. 1980. Pecan leaf scorch mite: Population dynamics, management and effects on pecan seedlings. Ph.D. Dissertation. Department of Entomology, Univ. of Georgia, Athens.
- King, D. R. and T. E. Denman. 1961. Comparison of insecticides and methods of application for pecan nut casebearer control. Proc. Tex. Pecan Growers Assoc. 40:116-9.
- Leesch, H. S., H. B. Gillenwater. 1976. The fumigation of pecans with methyl bromide and phosphine to control the pecan weevil. J. Econ. Entomol. 69:241-244.
- Leiby, R. W. 1925. Insect enemies of the pecan in North Carolina. Bull. N. C. Dept. Agric. February. 1925. 67 pp.
- Martin, D. F. 1951. Pecan nut casebearer control during 1947-50. Proc. Tex. Pecan Growers Assoc. 30:15-21.
- McQueen, H. F. 1973. Occurrence of pecan insects - a 10 year summary. Proc. S. E. Pecan Growers Assoc. 66:79-81.
- McVay, J. R., and H. C. Ellis. 1979. Extension approaches to pecan pest management in Alabama and Georgia. p. 121-150. *In* Pest Management Programs for Deciduous Tree Fruits and Nut. Plenum Press, New York. 256 pp.
- McVay, J. R., G. R. Strother, W. S. Gazaway, R. H. Walker, and J. Boutwell. 1977. The Alabama pecan pest management program. Ala. Coop. Ext. Service Report. 32 pp.
- McWhorter, G. M., J. G. Thomas, M. K. Harris, and H. W. Van Cleave. 1977. Pecan Insects of Texas. Texas A & M Univ. Coop. Extension Service MP-1270.
- Micinski, S., D. J. Boethel, and H. B. Boudreaux. 1979. Influence of temperature and photoperiod on development and oviposition of the pecan leaf scorch mite; *Eotetranychus hicoriae*. Ann. Entomol. Soc. Amer. 72:649-54.

- Micinski, S., D. J. Boethel, and H. B. Boudreaux. 1981. Life tables and intrinsic rates of increase of the pecan leaf scorch mite. *J. Econ. Entomol.* 74:612-6.
- Milne, L. 1976. Susceptibility of pecan cultivars to "sooty-mould". Citrus and Subtropical Nut Research Institute. Inform. Bull. No. 48.
- Moznette, C. F. 1941. Progress in the control of the hickory shuckworm on pecan. *Proc. S. E. Pecan Growers Assoc.* 34:42-8.
- Moznette, C. F., T. L. Bissell, and H. S. Adair. 1931. Insects of the pecan and how to combat them. *USDA Farmers Bull.* 1654. 59 pp.
- Moznette, C. F., C. B. Nickels, W. C. Pierce, T. L. Bissell, J. B. Demaree, J. F. Cole, H. E. Parson, and J. R. Large. 1940. Insects and diseases of the pecan and their control. *Farmers Bull. No.* 1829. 70 pp.
- Nakayama, R. M. 1964. An evaluation of F₁ pecan selections for resistance to the black pecan aphid. 55th Ann. Rep. of the Northern Nut Growers Assoc. Inc. 55:49-50.
- Nash, R. F. and C. A. Thomas. 1972. Adult pecan weevil emergence in the upper coastal plains of South Carolina. *J. Econ. Entomol.* 65:908.
- Neeb, C. W., H. W. Van Cleave, M. K. Harrison and W. Bagley. 1976. Study aims at casebearer. *Pecan Quarterly* 10(1):10-12.
- Neel, W. W. 1959. Shuckworm control tests in Mississippi during 1957-1959 with special reference to foliage sprays and granular insecticides. *Proc. S. E. Pecan Growers Assoc.* 52:83-7.
- Neel, W. W. and W. Shepard. 1976. Sampling adult pecan weevils. *Southern Coop. Bull.* 208. 17 pp.
- Neel, W. W., and P. P. Sikorowski. 1972. Pecan weevil susceptibility to fungus. *Pecan Quart.* 6: 14-15.
- Neel, W. W., C. H. Graves, and R. E. Coats. 1979. Comparison of foliar and ground insecticide sprays to control the pecan weevil. *Pecan South*, 6:18-20.
- Neel, W. W., H. R. Sterling, N. V. Mody, and L. B. Gray. 1975. Pecan weevil: Late seasonal emergence in Arkansas. *Pecan Quart.* 9:20-21.
- Neunzig, H. H. 1970. Redescription of *Acrobasis caryae* Grote and descriptions of three new species of *Acrobasis* (Lepidoptera: Phycitidae). *Ann. Entomol. Soc. Amer.* 63:1656-64.

- Nickels, C. B. 1931. The insect parasites of the pecan nut casebearer in Texas. Proc. Nat. Pecan Assoc. 30:58-62.
- Nickels, C. B. 1937. Experiments to control pecan nut casebearer in Texas, 1936. J. Econ. Entomol. 30:761-3.
- Nickels, C. B. 1938. The timing of spray applications for the control of the pecan nut casebearer. U. S. Bur. Entomol. and Plant Quar. E-442. 4 pp.
- Nickels, C. B. 1948. DDT and other insecticides for the pecan nut casebearer. Proc. Tex. Pecan Growers Assoc. 27:28-33.
- Nickels, C. B. and W. C. Pierce. 1948. Relation between the overwintering population of the pecan nut casebearer and injury to the next crop of nuts. Ibid. 27:79-84.
- Nickels, C. B. and W. C. Pierce. 1949. Tests of organic insecticides against the pecan nut casebearer. Ibid. 28:17-23.
- Nickels, C. B., W. C. Pierce and C. C. Pinkney. 1950. Parasites of the pecan nut casebearer in Texas. USDA Tech. Bull. 1011: 21pp.
- Osburn, M. and W. L. Tedders. 1969. Insecticides for control of the hickory shuckworm on pecan. J. Georgia Entomol. Soc. 4(4):178-80.
- Osburn, M. R., W. C. Pierce, A. M. Phillips, J. R. Cole, and G. E. KenKnight. 1966. Controlling insects and diseases of the pecan. USDA Agric. Hdbk. 240. 55pp.
- Painter, R. H. 1951. Insect resistance in crop plants. MacMillan Press, New York. 520 pp.
- Payne, J. A., and E. K. Heaton. 1975. The hickory shuckworm: its biology, effect upon nut quality, and control. 66th Ann. Rep. Northern Nut Growers Assoc. 19-25.
- Payne, J. A. and W. T. Johnson. 1979. Plant Pests. Chapter 22. In R. A. Jaynes (ed.) Nut Tree Culture in North America. Northern Nut Growers Assoc. 466 pp.
- Payne, J. A. and S. J. Kays. 1978. Ethepon for removal of shucks from insect-infested pecan fruits. J. Econ. Entomol. 71:5-6.
- Payne, J. A. and S. G. Polles. 1974. Pecan: a new host for tobacco budworms and corn earworms. J. Econ. Entomol. 67:295-296.
- Payne, J. A. and P. H. Schwartz. 1971. Feeding of Japanese beetles on *Phylloxera* galls. Ann. Entomol. Soc. Amer. 64:1466-1467.
- Payne, J. A. and J. M. Wells. 1974. Post harvest control of the pecan weevil in inshell pecans. J. Econ. Entomol. 67:789-791.

- Payne, J. A., E. D. Harris, and H. Lowman. 1976. Foliar insecticides for control of pecan weevil and hickory shuckworm. *J. Georgia. Entomol. Soc.* 11:306-8.
- Payne, J. A., H. L. Mastrom, G. E. KenKnight. 1979. Insect pests and diseases of the pecan. USDA/SEA Agric. Reviews and Manuals ARM 5-5. 43 pp.
- Payne, J. A., W. L. Tedders, G. E. Cosgrove, Don Foard. 1972. Larval mine characteristics of 4 species of leafmining lepidoptera on pecan. *Ann. Entomol. Soc. Amer.* 65:711-21.
- Payne, J. A., W. L. Tedders, and C. R. Gentry. 1973. Biology and control of a pecan serpentine leafminer, *Nepticula juglandifoliella*. *J. Econ. Entomol.* 64:92-95.
- Phillips, A. M. 1949. Report of a preliminary field test for the control of a mite (*Tetranychus* spp.) on pecan. *Proc. S. E. Pecan Growers Assoc.* 42:74-80.
- Phillips, A. M., J. R. Large, and J. R. Cole. 1960. Insects and diseases of the pecan in Florida. *Florida Agric. Exp. Sta. Bull.* 619. 84 pp.
- Pierce, W. C. 1944. Cocooning habits of spring-brood larvae of the pecan nut casebearer. *J. Econ. Entomol.* 37:852.
- Pierce, W. C. 1946. Timing spray applications to control the pecan nut casebearer. *J. Econ. Entomol.* 39:76-78.
- Pierce, W. C. 1959. Insecticide tests against pecan nut casebearer in Louisiana. *Proc. Tex. Pecan Growers Assoc.* 38:80-82.
- Pierce, W. C. 1963. Aerial applications of insecticides for control of pecan insect pests. *Proc. S. E. Pecan Growers Assoc.* 56:60-69.
- Polles, S. G. 1974. Research studies on sucking insects of pecans. *Pecan Quart.* 8:22-4.
- Polles, S. G. and T. D. Canerday. 1972. Evaluation of soil systemics for control of aphids and mites of young pecan trees. *J. Georgia. Entomol. Soc.* 7:209-12.
- Polles, S. G. and B. Mullinix. 1977a. A model for sampling yellow pecan aphid populations. *Environ. Entomol.* 6:435-6.
- Polles, S. G. and B. Mullinix. 1977b. Distribution of yellow pecan aphids within pecan trees. *Environ. Entomol.* 6:427-34.
- Polles, S. G. and J. A. Payne. 1973a. Pecan weevil: An improved method of sampling populations in pecan trees. *J. Econ. Entomol.* 6:519-520.

- Polles, S. G., and J. A. Payne. 1973b. Pecan weevil: toxicity of insecticides in laboratory tests. *J. Econ. Entomol.* 6:497-8.
- Polles, S. G. and J. A. Payne. 1974. Pecan weevil, hickory shuckworm, and yellow pecan aphids. *Proc. S. E. Pecan Growers Assoc.* 67:79-94.
- Polles, S. G. and J. A. Payne. 1980. *Phylloxera* pictorial key to time spray applications for control of pecan phylloxera. *Pecan South* 7(3):6-7.
- Polles, S. G., J. A. Payne, and E. J. Wehunt. 1972. Preliminary evaluation of soil applied pesticides for control of the pecan weevil. *Proc. S. E. Pecan Growers Assoc.* 65:33-4.
- Raney, H. G. and R. D. Eikenbary. 1959. A simplified trap for collecting adult pecan weevils. *J. Econ. Entomol.* 63:697-700.
- Raney, H. G. and R. D. Eikenbary. 1968. Investigations on flight habits of the pecan weevil, *Curculio caryae* (Coleoptera: Curculionidae). *Can. Entomol.* 100:1091-1095.
- Raney, H. G., R. D. Eikenbary and N. D. Flora. 1970. Population density of the pecan weevil under 'Stuart' pecan trees. *J. Econ. Entomol.* 63:697-700.
- Reichelderfer, K. H. 1979. Production and cost implications of a multipest management program for pecans. ESCS Staff Paper USDA. 36pp.
- Ring, D. R. 1981. Predicting biological events in the life history of the pecan nut casebearer using a degree-day model. Ph.D. Dissertation. Entomology, Texas A & M University, College Station, TX. 194 pp.
- Schoof, H. E. 1942. The genus *Conotrachelus* Dejean (Coleoptera: Curculionidae) in north central United States. *Ill. Biol. Monogr.* 19:1-170.
- Shepard, M. and R. L. Holloway. 1976. Seasonal abundance of pecan weevil adults and larvae. *Pecan South* 3:464-466.
- Smith, J. S., Jr. 1978. S-2 black-light trap for capturing pecan lepidoptera. USDA-ARS-S-1 75. 5pp.
- Smith, J. S., Jr., and W. L. Tedders. 1978. S-2 blacklight trap for capturing certain pecan insects. *Pecan South* 5(4):172-4.
- Smith, J. S., Jr., W. L. Tedders, and C. R. Gentry. 1973. Blacklight trapping of the hickory shuckworm moth in Georgia pecan orchards. *Trans. Am. Soc. Agric. Eng.* 16(1):127-8.

- Smith, R. F. 1969. The new and old in pest control. *Accad. Nax. dei Lincei* 366:21-30.
- Sparks, D. 1977. Notes on the "Stuart" pecan. *Pecan South* 4:204-7.
- Spencer, H., L. Brown and A. M. Phillips. 1949. Use of the parasite *Trichogramma minutum* for controlling pecan insects. *USDA Circ.* 818: 17pp.
- Sri-Arunotai, S., P. O. Sikorowski, and W. W. Neel. 1975. Study of the pathogens of the pecan weevil larvae. *Environ. Entomol.* 4:790-792.
- Stoetzel, M. B. 1981. Two new species of *Phylloxera* (Phylloxeridae: Homoptera) on pecan. *J. Georgia Entomol. Soc.* 16(2):127-144.
- Stoetzel, M. B. and W. L. Tedders. 1981. Investigation of two species of *Phylloxera* on pecan in Georgia. *J. Georgia Entomol. Soc.* 16(2):144-150.
- Stone, J. D., S. A. Ryberson and M. A. Pankey. 1979. Aphid control in pecans with systemic insecticides. *Pecan Quart.* 13:6-7.
- Strother, G. R. and J. McVay. 1978. Pecan pest management. *Proc. Southern Pecan Growers Assoc.* 71:85-89.
- Suber, E. F. and J. W. Todd. (eds.) 1980. Summary of economic losses due to insect damage and costs of control in Georgia 1971-1976. Special Publ. No. 7. *Univ. Georgia. Exp. Sta.*
- Suber, E. F., D. C. Sheppard, and J. W. Todd. (eds.) 1981. Summary of economic losses due to insect damage and costs of control in Georgia 1978. Special Publ. No. 3, *Univ. Georgia. Exp. Sta.*
- Swingle, H. S., and J. L. Seal. 1931. Some fungus and bacterial diseases of pecan weevil larvae. *J. Econ. Entomol.* 24:917.
- Tedders, W. L. 1972. Bands detect weevils. *Pecan Quart.* 8:24-25.
- Tedders, W. L. 1976. Pesticides for pecan pests. *Pecan South.* 3:376-9.
- Tedders, W. L. 1976. Beneficial insects of pecan. *Pecan South.* 3(4):400-402 and front cover.
- Tedders, W. L. 1977a. *Trioxys pallidus* and *Trioxys complanatus* as parasites of *Monellia costalis*, *Monelliopsis nigropuncta*, and *Tinocallis caryaefoliae*. *Ann. Entomol. Soc. Amer.* 70:678-90.
- Tedders, W. L. 1977b. Preliminary evaluation of the insect growth regulator diflubenzuron against pecan pests. *J. Georgia. Entomol. Soc.* 12:243-7.

- Tedders, W. L. 1978. Important biological and morphological characteristics of the foliar-feeding aphids of pecan. USDA Tech. Bull. No. 1579. 29 pp.
- Tedders, W. L., and G. W. Edwards. 1972. Effects of blacklight trap design and placement on catch of adult hickory shuckworms. J. Econ. Entomol. 65(6):1624-7.
- Tedders, W. L., and G. W. Edwards. 1974. A blacklight trap for surveys of hickory shuckworm moths. J. Georgia. Entomol. Soc. 9(3):176-81.
- Tedders, W. L. and H. C. Ellis. 1977. Aerial application of *Bacillus thuringiensis* var. *kurstaki* (HD-1) to shade and ornamental pecan trees against *Hyphantria cunea* and *Datana integerrima*. J. Georgia. Entomol. Soc. 12(3):248-250.
- Tedders, W. L., Jr. and M. Osburn. 1966. Blacklight traps for timing insecticide control of pecan insects. Proc. S. E. Pecan Growers Assoc. 59: 102-6.
- Tedders, W. L. and M. Osburn. 1971. Emergence and control of the pecan weevil. J. Econ. Entomol. 64:743-744.
- Tedders, W. L. and J. S. Smith. 1976. Shading effect on pecan by sooty mold growth. J. Econ. Entomol. 69:551-3.
- Tedders, W. L. and J. M. Thompson. 1981. Histological investigation of stylet penetration and feeding damage to pecan foliage by tree aphids (Homoptera: Aphididae) Misc. Publ. Entomol. Soc. Amer. 12(2):69-84.
- Tedders, W. L., J. G. Hartstack, and M. Osburn. 1972. Suppression of hickory shuckworm in a pecan orchard with blacklight traps. J. Econ. Entomol. 65:148-55.
- Tedders, W. L., D. J. Weaver, and E. J. Wehnut. 1973. Pecan weevil: Suppression of larvae with the fungi *Metarrhizium anisopliae* and *Beauveria bassiana* and the nematode *Neoaplectana dutkyi*. J. Econ. Entomol. 66:273-275.
- Teel, P. D., H. W. Van Cleave, J. P. Hollingsworth, and A. W. Harstock. 1976. Spectral sensitivity of the hickory shuckworm to electromagnetic radiation. Ibid. 69:57-8.
- Thomas, J. G. and B. G. Hancock. 1968. Tree banding-sensitive timing method for nut casebearer sprays. Pecan Quart. 2(1):4-7.
- Todd, L. 1967. A spring emergence study of the hickory shuckworm, *Laspeyresia caryana*. Tex. Pecan Growers Assoc. Proc. 46:80-5.

- Todd, J. W. and E. F. Suber. (eds.) 1980. Summary of economic losses due to insect damage and costs of control in Georgia, 1977. Special Publ. No. 8, Univ. of Georgia. Exp. Sta.
- Turner, W. F. 1923. Kernel spot of pecan caused by the southern green soldier bug. J. Econ. Entomol. 16:440-5.
- Turner, W. F., C. S. Spooner, and C. G. Crittenden. 1918. Pecan insects, pecan scab, pecan diseases other than scab. Georgia. State Board of Entomology, Bull. 49, p. 25.
- Van Cleave, H. W. and A. L. Anderson. 1971. 1970 field control tests for pecan insects. Proc. Tex. Pecan Growers Assoc. 50:32-33.
- Van Cleave, H. W. and S. J. Harp. 1972. The pecan weevil: present status and future prospects. Proc. S. E. Pecan Growers Assoc. 65:99-108.
- Verbeek, W. A. 1977. Annual report of the Secretary for Agricultural Technical Services for the period 1 July, 1975 to 30 June, 1978. Report Dept. Agr. Tech. Services, South Africa.
- Villiers, E. A., de, and W. J. duToit. 1977. Control of the yellow pecan aphid, *Monellia nigropunctata*. J. Citrus and Subtropical Fruit 527:3-5.
- Walker, F. W. 1933. The pecan shuckworm. Bull. 258, Univ. of Fla. Agric. Exp. Sta., Gainesville, FL. 18pp.
- Welch, J. J., and H. W. Van Cleave. 1967. Initial studies on the biology and control of the hickory shuckworm in Texas. Proc. Texas Pecan Growers Assoc. 46:52-6.
- Wells, J. M. and J. A. Payne. 1975. Mycoflora of pecan treated with heat, low temperature, or methyl bromide for control of the pecan weevil. Phytopathology 65: 1393-1395.
- Wells, J. M. and J. A. Payne. 1976. Toxigenic species of *Penicillium*, *Fusarium*, and *Aspergillus* from weevil-damaged pecans. Can. J. Microb. 22:281-285.
- Wells, J. M. and J. A. Payne. 1980. Reduction of mycoflora and control on in-shell weevils in pecans stored under high carbon dioxide atmospheres. Plant Disease 64:997-999.
- West, R. P. and M. Shepard. 1975. Analysis of sampling techniques for the pecan weevil. Proc. S. E. Pecan Growers Assoc. 68:55-61
- Westcott, C. 1973. The Gardeners' Bugbook. Doubleday & Co., Inc., Garden City, N. Y. 689 pp.

Whitehead, F. E. and O. Eastep. 1937. The seasonal cycle of *Phylloxera notabilis* pergande (Phylloxeridae: Homoptera). Ann. Entomol. Soc. Amer. 30:71-4.

Wysoki, M. and Y. Izhar. 1978. A list of arthropod pests of avocado and pecan trees in Israel. Phytoparasitica. 6:89-93.